

The SIMBA logo consists of the word "SIMBA" in a bold, yellow, sans-serif font. It is enclosed within a black rectangular box that has a yellow 3D-style border on the top and right sides.

SIMBA

SIMBA GENERAL MERCHANTS LTD

The background of the central section is a grayscale photograph of a construction site. It features a large tower crane in the center, with its long jib extending towards the top right. Below the crane, there are several building structures under construction, heavily encased in scaffolding. The sky is filled with soft, white clouds.

**SAWA ACCESSORIES
CATALOGUE 2019 - 2020**

WWW.SIMBATTOOLS.CO.KE

WWW.SAWATTOOLS.COM

STONE CUTTING DISC



Description

- For hard stone such as granite and concrete
- Long lifetime in all stone cutting

PART NUMBER	SIZE (MM)
SWA-SC-115	115
SWA-SC-180	180
SWA-SC-230	230

METAL CUTTING DISC



Description

- A general purpose abrasive cutting disc
- Very good cutting performance across a range of metal materials

PART NUMBER	SIZE (MM)
SWA-MC-115	115

METAL GRINDING DISC



Description

- Good quality, long lasting, and gives a cleaner finish

PART NUMBER	SIZE (MM)
SWA-MG-180	180
SWA-MG-230	230

SEGMENTED DIAMOND DISC



Description

- Ideal for concrete, brick, tiles, sandstone and other construction materials

PART NUMBER	SIZE (MM)
SWA-SG-115	115
SWA-SG-180	180
SWA-SG-230	230

TURBO DIAMOND DISC



Description

- Ideal for concrete, brick, tiles, sandstone and other construction materials
- For fast and smooth cutting performance

PART NUMBER	SIZE (MM)
SWA-TW-115	115
SWA-TW-180	180
SWA-TW-230	230

FULLY GROUND HSS BIT



Description

- Designed to drill most steels - alloyed and unalloyed
- High heat resistance

PART NUMBER	SIZE (MM)
SWA-HDS-10	1-10
SWA-HDS-13	1-13

FULLY GROUND H.S.S DRILL BIT

Description

- High heat resistance
- High accuracy
- Designed for most steels - alloyed and unalloyed
- High safety against rupture
- Self-centring split point drill tip means there is no need to pre-punch or pilot drill up to 10 mm diameter

PART NUMBER	SIZE (IMP/MM)	PACKAGING (PCS)
SWA-FGS-1/8	1/8"	10
SWA-FGS-5/32	5/32"	10
SWA-FGS-9/64	9/64"	10
SWA-FGS-3/16	3/16"	10
SWA-FGS-13/64	13/64"	10
SWA-FGS-1/4	1/4"	10
SWA-FGS-5/16	5/16"	10
SWA-FGS-3/8	3/8"	10
SWA-FGS-1/2	1/2"	5
SWA-FGS-1	1 MM	10
SWA-FGS-1.5	1.5 MM	10
SWA-FGS-2	2 MM	10
SWA-FGS-2.5	2.5 MM	10
SWA-FGS-3	3 MM	10
SWA-FGS-3.5	3.5 MM	10
SWA-FGS-4	4 MM	10
SWA-FGS-4.5	4.5 MM	10
SWA-FGS-5	5 MM	10
SWA-FGS-5.5	5.5 MM	10
SWA-FGS-6	6 MM	10
SWA-FGS-6.5	6.5 MM	10
SWA-FGS-7	7 MM	10
SWA-FGS-7.5	7.5 MM	10
SWA-FGS-8	8 MM	10
SWA-FGS-8.5	8.5 MM	5
SWA-FGS-9	9 MM	5
SWA-FGS-9.5	9.5 MM	5
SWA-FGS-10	10 MM	5
SWA-FGS-10.5	10.5 MM	5
SWA-FGS-11	11 MM	5
SWA-FGS-11.5	11.5 MM	5
SWA-FGS-12	12 MM	5
SWA-FGS-12.5	12.5 MM	5
SWA-FGS-13	13 MM	5
SWA-FGS-14	14 MM	5



H.S.S MORSE TAPER SHANK DRILL BIT



Description

- High performance
- Precision drilling for larger holes
- Good chip removal
- Reduced tendency for material build up
- Designed to drill steel (alloyed and unalloyed), grey cast iron and bronze

PART NUMBER	SIZE (MM)
SWA-MTS-15	15
SWA-MTS-16	16
SWA-MTS-17	17
SWA-MTS-18	18
SWA-MTS-19	19

H.S.S REDUCED SHANK DRILL BIT



Description

- High performance standard drill bit
- Precise centricity
- Reduced shank ensures that even larger bit diameters fit into smaller drill chucks
- Designed to drill steel, iron, bronze and hardened plastics

PART NUMBER	SIZE (MM)
SWA-RSB-20	20
SWA-RSB-22	22
SWA-RSB-25	25

MASONRY DRILL BIT

Description

- High heat resistance
- High accuracy
- High safety against rupture
- Self-centring split point drill tip means there is no need to pre-punch or pilot drill up to 10 mm diameter

PART NUMBER	SIZE (MM)
SWA-MDB-4X75	4X75
SWA-MDB-5X85	5X85
SWA-MDB-6X100	6X100
SWA-MDB-7X100	7X100
SWA-MDB-8X120	8X120
SWA-MDB-9X120	9X120
SWA-MDB-10X150	10X150
SWA-MDB-10X400	10X400
SWA-MDB-11X150	11X150
SWA-MDB-12X150	12X150
SWA-MDB-12X400	12X400
SWA-MDB-13X150	13X150
SWA-MDB-14X150	14X150
SWA-MDB-14X100	14X100
SWA-MDB-15X160	15X160
SWA-MDB-16X160	16X160
SWA-MDB-16X400	16X400
SWA-MDB-17X160	17X160
SWA-MDB-18X160	18X160
SWA-MDB-18X400	18X400
SWA-MDB-19X160	19X160
SWA-MDB-20X160	20X160
SWA-MDB-20X400	20X400
SWA-MDB-22X160	22X160
SWA-MDB-22X400	22X400
SWA-MDB-25X160	25X160
SWA-MDB-25X400	25X400
SWA-MDBS-3-10	3-10



S.D.S - PLUS DRILL BIT

Description

- High quality tungsten tip
- Sand blasted finish
- The 4 flute shaft spiral stabilizes the drill bit for easier drilling with reduced strain on both powertool and operator
- Bedris and dust are quickly removed
- Designed to drill concrete, brick, masonry and natural stone

PART NUMBER	SIZE (MM)
SWA-SDS-6X160	6X160
SWA-SDS-8X160	8X160
SWA-SDS-10X160	10X160
SWA-SDS-11X160	11X160
SWA-SDS-12X160	12X160
SWA-SDS-13X160	13X160
SWA-SDS-14X160	14X160
SWA-SDS-14X210	14X210
SWA-SDS-16X210	16X210
SWA-SDS-16X260	16X260
SWA-SDS-18X260	18X260
SWA-SDS-18X350	18X350
SWA-SDS-18X450	18X450
SWA-SDS-20X260	20X260
SWA-SDS-20X350	20X350
SWA-SDS-20X450	20X450
SWA-SDS-22X450	22X450
SWA-SDS-22X520	22X520
SWA-SDS-25X450	25X450
SWA-SDS-25X520	25X520



JIGSAW BLADE

Description

- For coarse cutting of softwood & soft materials such as fibre woodboards, roofing/construction wood & plastics



PART NUMBER	TPI/TEETH TYPE	MATERIAL THICKNESS (MM)	PACKAGING
SWA-JB-T111C	8	4-50	3PC

ROUTER BIT SET 12pc

Description

- A general purpose abrasive cutting disc
- Very good cutting performance across a range of metal materials



PART NUMBER	SIZE OF SHANK (MM)	TYPES OF BITS IN SET
SWA-RBS-8	8	STRAIGHT, "V" GROOVING, DOVE TAIL, CHAMFER, FLUSH TRIM, ROUND OVER BIT, CORE BOX, COVE AND ROMAN OGEE

WIRE CUP BRUSH

Description

- For removal of Carbon, Paint, welding rust and other types of contamination
- Tempered steel



PART NUMBER	SIZE(MM)	TYPE
SWA-WB-N4	100	NORMAL (RED)
SWA-WB-FN4	100	FLARED KNOT (BLUE)

SIMBA

SIMBA GENERAL MERCHANTS LTD.

CONTACT DETAILS

TEL : +254 (020) 2218355/ 2222404/ 2224423

Mobile: 0715 512125 / 0737 512125

E-mail: sales@simbatools.co.ke

P.O. Box 48635, 00100 - GPO

Nairobi - Kenya, 16 Kijabe Street

WWW.SIMBATTOOLS.CO.KE



SIMBATTOOLS



SIMBATTOOLS



SIMBATTOOLS

**Distributor of Handtools, Powertools
and Accessories**



PERON



STANLEY

