



BOSCH



Metal Catalogue

Power tools, measuring tools and accessories

Nguvu Mkononi na Bosch!

Cordless

GSR 120-LI Cordless Drill Driver

06019G80L0
Launch: 03/2020



Battery voltage	12 V
Torque (soft/hard)	14/30 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1500 rpm
Max. drilling Ø in wood / steel	20 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSR 180-LI Cordless Drill Driver

06019F81L0



Battery voltage	18 V
Torque (soft/hard)	21/54 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 500 / 0 - 1900 rpm
Max. drilling Ø in wood / steel	35/10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSB 120-LI Cordless Impact Drill

06019G81L0
Launch: 03/2020



Battery voltage	12 V
Torque (soft/hard)	14/30 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1500 rpm
Max. drilling Ø in wood/masonry/steel	20 / 8 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSB 180-LI Cordless Impact Drill

06019F83L1



Battery voltage	18 V
Torque (soft/hard)	21/54 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 500 / 0 - 1900 rpm
Max. drilling Ø in wood/masonry/steel	35 / 10 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GDR 120-LI Cordless Impact Driver

06019F00L1



Battery voltage	12 V
Torque, max.	100 Nm
No-load speed (1 st gear / 2 nd gear)	1300 - 2600 rpm
Tool holder	1/4" internal hexagon
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case, 1 screwdriver bit

GDX 180-LI Cordless Impact Driver / Wrench

06019G5220



Battery voltage	18 V
Torque, max.	180 Nm
No-load speed	0 - 2800 rpm
Tool holder	1/4" internal hexagon and 1/2" external square
Scope of Supply	2 x 3.0 Ah Li-ion battery, charger, carrying case

GAL 12V - 40 / GBA 12V, 2.0 Ah 12V Charger and Battery

1600A019R4 / 1600Z0002X



GDS 250-LI Cordless Impact Wrench

06019G61L0



Battery voltage	18 V
Torque, max.	250 Nm
No-load speed	0 - 2400 rpm
Tool holder	1/2" external square
Scope of Supply	2 x 3.0 Ah Li-ion battery, charger, carrying case

Drilling, Cutting and Grinding

GBM 1000 Rotary Drill

06011A90L1



Rated input power	350 W
No-load speed	0 - 2500 rpm
Chuck capacity	1 - 10 mm
Drilling Ø in wood/aluminium/steel	20/13/10 mm

GSB 550/1300 Impact Drill

06011A10L2



Rated input power	550 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	25/13/10 mm

GSB 550 + 90 accessories kit Impact Drill

06011A15L1



Rated input power	550 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	25/13/10 mm

GSB 570 Impact Drill

06011B70L0

Launch: 03/2020



Rated input power	570 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	25/13/10 mm

GWS 060 / 6700 Angle Grinder

06013756L0 / 06013756L1



Rated input power	670 W
Disc diameter, bore size	100, 16 / 115, 22.23 mm
No-load speed	12000 rpm
Grinding spindle thread	M 10 / M 14

GWS 700 Angle Grinder

06013A30L0

Launch: 03/2020



Rated input power	710 W
Disc diameter	115 mm
No-load speed	12000 rpm
Grinding spindle thread	M 14

GWS 2000-180 Angle Grinder

06018B70P0



Rated input power	2000 W
Disc diameter	180 mm
No-load speed	8500 rpm
Grinding spindle thread	M 14

GWS 2000-230 Angle Grinder

06011A90L1



Rated input power	2000 W
Disc Diameter	230 mm
No-load speed	6500 rpm
Grinding spindle thread / Switch	M 14 / Tri-control

Cutting, Grinding and Polishing

GWS 2200-180 H Angle Grinder

0601851XP0



Rated input power	2200 W
Disc Diameter	180 mm
No-load speed	8500 rpm
Grinding spindle thread	M 14

GWS 2200-230 Angle Grinder

0601852XL0



Rated input power	2200 W
Disc Diameter	230 mm
No-load speed	6500 rpm
Grinding spindle thread	M 14

GCO 220 Metal Cut-off Saw

0601B373L0



Rated input power	2200 W
Disc / bore diameter	355 / 25.4 mm
No-load speed	3800 rpm
Cutting capacity at square 0°	119 x 119 mm

GCO 240 Metal Cut-off Saw

0601B380P0



Rated input power	2400 W
Disc / bore diameter	355 / 25.4 mm
No-load speed	3800 rpm
Cutting capacity at square 0°	119 x 119 mm

GG5 5000 L Straight Grinder

0601224170



Rated input power	500 W
Tool holder	collets up to 8 mm diameter
No-load speed	33000 rpm
Max. grinding tool diameter	25 mm

GPO 950 Polisher

06013A20L0



Rated input power	950 W
Polishing sponge, diameter	180 mm
No-load speed	600 - 2100 rpm
Polishing spindle thread	M 14

GST 650 / 700 Jigsaw

06012A70P0 / 06012A70P0



Rated input power	450 / 500 W
Stroke rate at no load	800 - 3100 / 1450 - 3200 spm
Stroke length	18 / 20 mm
Cutting depth in wood/aluminium/steel	(65/10/3) / (70/10/6) mm

GKS 140 Circular saw

06016B30L1



Rated input power	1400 W
Blade / bore diameter	184 / 20 mm
No-load speed	6000 rpm
Max. depth of cut at 0°/45°	64 / 45 mm

Drills and Impact Wrench

**HEAVY
DUTY**

GBM 1600 RE Rotary Drill

06011B00L0



**HEAVY
DUTY**

Rated input power	850 W
No-load speed	0 - 630 rpm
Chuck capacity	1 - 16 mm
Drilling Ø in wood/steel	40/16 mm

GBM 50-2 Magnetic Drill

06011B40L0
Launch: 02/2020



**HEAVY
DUTY**

Rated input power	1200 W
No-load speed	50-250 / 510 / 470 / 740 rpm
Torque	80/52/36/32 Nm
Drilling Ø in wood/aluminium/steel	70/50/50 mm

GSB 13 RE + accessories Impact Drill

06012271L1



**HEAVY
DUTY**

Rated input power	600 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	25/13/10 mm

GSB 16 RE + accessories Impact Drill

060112281L1



**HEAVY
DUTY**

Rated input power	750 W
No-load speed	0 - 3250 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	30/16/13 mm

GSB 24-2 Impact Drill

060119C801(Keyless)
060119C970(Keyed)



**HEAVY
DUTY**

Rated input power	1100 W
No-load speed	0 - 900 / 3000 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/aluminium/steel	40/24/16 mm

GSB 162-2 RE Impact Drill

060118B070



**HEAVY
DUTY**

Rated input power	1500 W
No-load speed	0 - 750 / 1800 rpm
Chuck capacity	3 - 16 mm
Drilling Ø in wood/masonry*/steel	50/162/20 mm

* using dry core cutters

GDS 18 E Impact Wrench

0601444000



**HEAVY
DUTY**

Rated input power	500 W
No-load speed	800 - 1900 rpm
Torque, max.	250 Nm
Bit holder	1/2" external square

GDS 24 Impact Wrench

0601434103



**HEAVY
DUTY**

Rated input power	800 W
No-load speed	950 rpm
Torque, max.	600 Nm
Bit holder	3/4" external square

Cordless

GSB 18V-50 Cordless Impact Drill

06019H51L0
Launch: 04/2020



HEAVY DUTY

Battery voltage	18 V
Torque (soft/hard)	28 / 50 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1800 rpm
Max. drilling Ø in wood/masonry/steel	35/13/13 mm
Scope of Supply	2 x 2.0 Ah Li-Ion battery, charger, carrying case

GSB 18V-60 C Cordless Impact Drill

06019G2170



HEAVY DUTY

Battery voltage	18 V
Torque (soft/hard)	31 / 60 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 600 / 0 - 1900 rpm
Max. drilling Ø in wood/masonry/steel	38/13/13 mm
Scope of Supply	2 x 5.0 Ah Li-Ion battery, charger, carrying case

GSB 18V-85 C Cordless Impact Drill

06019G81L0



HEAVY DUTY

Battery voltage	18 V
Torque (soft/hard/max)	47/85/128 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 480 / 0 - 2100 rpm
Max. drilling Ø in wood/masonry/steel	82/16/13 mm
Scope of Supply	2 x 5.0 Ah Li-Ion battery, charger, carrying case



Bosch Cordless FreeMix

Invented for life

1. Select your Starter Set

2. Choose your tools

3. Ready to go!

Starter Set 18 V 3.0 Ah

Starter Set 18 V 5.0 Ah

GSB 18 V-ECTE

GWS 18 V-LI

Bosch tool bag

Feel free to choose only what you need and save money!

It's so easy to build a Bosch Professional toolbox.

Customize your cordless toolbox based on your need.

Choose your Starter Set. Choose your tools. Ready to go!

Batteries and Chargers

1. Select your charger / battery / starter set



GAL 18V-40 | 1600A019RJ



GAL 1880 CV | 1600A008BH



GBA 18V, 5.0 Ah | 1600A002U5



ProCore 18V, 8.0 Ah | 1600A016GK



ProCore 18V, 12.0 Ah | 1600A016GU



StarterKit 18V 4.0 Ah | 1600A002F9



StarterKit 18V 5.0 Ah | 1600A008BK



2. Choose your tools

GWS 18V-LI Cordless Angle Grinder

060193A300



HEAVY
DUTY

Battery voltage	18 V
No-load speed	10000 rpm
Disc diameter	115 mm
Grinding spindle thread	M 14
Scope of Supply	Without battery and charger

GSA 18V-LI Cordless Sabre Saw

060164J000



HEAVY
DUTY

Battery voltage	18 V
Stroke length	28 mm
Stroke rate (1 st gear / 2 nd gear)	2400 - 2700 spm
Tool holder	SDS mechanism
Scope of Supply	Without battery and charger

GOP 18V-28 Cordless Multi-Cutter

06018B6002



HEAVY
DUTY

Battery voltage	18 V
No-load speed	8000 - 20000 opm
Tool holder	Starlock plus mechanism
Oscillation angle on left and right	1.4°
Scope of Supply	Without battery and charger

GST 18V-LI S Cordless Jigsaw

06015A5100



HEAVY
DUTY

Battery voltage	18 V
Stroke rate at no load	2700 spm
Stroke height	23 mm
Cutting depth in wood / steel	90 / 8 mm
Scope of Supply	Without battery and charger

GKS 18V-57 Cordless Circular Saw

06016A2200



HEAVY
DUTY

Battery voltage	18 V
No-load speed	3400 rpm
Saw blade / bore diameter	165 / 16 mm
Cutting depth 0° / 45°	57 / 42 mm
Scope of Supply	Without battery and charger

GDX 18V-EC Cordless Impact Driver / Wrench

06019B9102



HEAVY
DUTY

Battery voltage	18 V
Torque, max	185 Nm
No-load speed (1 st /2 nd /3 rd setting)	0-1300/2000/2800 rpm
Tool holder	1/4" internal hexagon and 1/2" external square
Scope of Supply	Without battery and charger

3. Ready to go!

Get the Bosch Tool bag for convenient storage and transportation.



GWS 750-115 Angle Grinder

0601394070



Rated input power	750 W
Disc diameter	115 mm
No-load speed	11000 rpm
Grinding spindle thread	M 14



GWS 9-115 Angle Grinder

06013960P1



Rated input power	900 W
Disc diameter	115 mm
No-load speed	11000 rpm
Grinding spindle thread	M 14

GWS 9-115 S Angle Grinder

0601396171



Rated input power	900 W
Disc diameter	115 mm
No-load speed	2800 - 11000 rpm
Grinding spindle thread	M 14

GWS 19-125 CIE Angle Grinder

060179P002



Rated input power	1900 W
Disc diameter	125 mm
No-load speed	2800 - 11500 rpm
Grinding spindle thread	M 14



GWS 24-230 H Angle Grinder

06018841P3



Rated input power	2400 W
Disc diameter	230 mm
No-load speed	6500 rpm
Grinding spindle thread	M 14

GWS 26-230 B Angle Grinder

0601856303



Rated input power	2600 W
Disc diameter	230 mm
No-load speed	6500 rpm
Grinding spindle thread	M 14

Cutting, Grinding and Polishing

**HEAVY
DUTY**

GPO 14 CE Polisher

0601389073



**HEAVY
DUTY**

Rated input power	1400 W
No-load speed	750 - 3000 rpm
Polishing spindle thread	M 14
Rubber sanding plate, diameter	180 mm

GGs 28 LC Straight Grinder

0601221070



**HEAVY
DUTY**

Rated input power	650 W
Tool holder	Collets up to 8 mm diameter
No-load speed	30000 rpm
Max. grinding tool diameter	50 mm

GSC 75-16 Shear / Cutter

0601500500



**HEAVY
DUTY**

Rated input power	750 W
Stroke rate at no load	5200 spm
Smallest radius	35 mm
Cutting capacity in steel (400 N/mm ²)	1.6 mm



GKS 190 Circular saw

0601623071



**HEAVY
DUTY**

Rated input power	1400 W
Blade diameter / bore size	184 / 20 mm
No-load speed	5500 rpm
Max. depth of cut at 0° / 45°	70/49 mm

GKS 9 Circular saw

06015A2070



**HEAVY
DUTY**

Rated input power	2050 W
Blade / bore diameter	235 / 30 mm
No-load speed	5300 rpm
Max. depth of cutting in wood at 0° / 45°	85 / 65 mm

GST 150 BCE Jigsaw

0601513070



**HEAVY
DUTY**

Rated input power	780 W
Stroke rate at no-load speed	500 - 3100 spm
Weight	2.7 kg
Cutting depth wood/aluminium/steel	150/20/10 mm



GCD 12JL Cut Off Saw (Sparkless)

0601B28070



HEAVY DUTY

Rated input power	2000 W
Blade / bore diameter	305 / 25.4 mm
No-load speed	1500 rpm
Cutting capacity at square 0°	100 x 100 mm

GCM 10 MX Mitre Saw

0601B290P0



HEAVY DUTY

Rated input power	1700 W
Blade / bore diameter	254 / 30 mm
No-load speed	4800 rpm
Cutting capacity, 0° / 45° incline	89 x 89 / 86 x 67 mm

GCM 12 GDL Gliding Mitre Saw

0601B23670



HEAVY DUTY

Rated input power	2000 W
Blade / bore diameter	305 / 30 mm
No-load speed	3800 rpm
Cutting capacity, 0° / 45° incline	104 x 341 / 104 x 240 mm

GTS 10 J Table Saw

0601B30570



HEAVY DUTY

Rated input power	1800 W
Blade diameter / bore size	254 / 30 mm
No-load speed	3650 rpm
Cutting height at 0°	79 mm

GTM 12 JL Combination Saw

0601B15071



HEAVY DUTY

Rated input power	1800 W
Blade diameter / bore size	305 / 30 mm
No-load speed	3800 rpm
Cutting capacity at 0°	95 x 150 mm

GTA 2600 Stand

0601B12300



HEAVY DUTY

Length of work bench	2600 mm
Height of work bench	947 mm
Weight	19.6 kg
Dimension of table (folded)	820 mm

GBG 35-15 Bench Grinder

060127A3L0



HEAVY DUTY

Rated input power	350 W
Grinding wheel diameter	150 mm
Grinding wheel bore diameter	20 mm
No-load speed	3600 rpm

GBG 60-20 Bench Grinder

060127A4L0



HEAVY DUTY

Rated input power	600 W
Grinding wheel diameter	200 mm
Grinding wheel bore diameter	32 mm
No-load speed	3600 rpm

Metal Drill Bits

HSS-G

- Suitable for alloyed and non-alloyed steel up to tensile strength of 900 N/mm², cast steel, cast iron, sintered iron, malleablecast iron, non-ferrous metals and hard plastics.
- Precision-ground HSS-G drill bit enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard- ground HSS drill bits with a chisel edge.
- Self-centering split point drill tip means there is no need to pre-punch or pilot drill up to 10 mm diameter



HSS PointTeQ

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608577178	1 x 12 x 34 mm (10pcs)	2608577263	9,5 x 81 x 125 mm (10pcs)
2608577188	2 x 24 x 49 mm (10pcs)	2608577268	10 x 87 x 133 mm (10pcs)
2608577198	3 x 33 x 61 mm (10pcs)	2608577273	10,5 x 87 x 133 mm (5pcs)
2608577203	3,5 x 39 x 70 mm (10pcs)	2608577278	11 x 94 x 142 mm (5pcs)
2608577208	4 x 43 x 75 mm (10pcs)	2608577283	11,5 x 94 x 142 mm (5pcs)
2608577213	4,5 x 47 x 80 mm (10pcs)	2608577288	12 x 101 x 151 mm (5pcs)
2608577218	5 x 52 x 86 mm (10pcs)	2608577298	13 x 101 x 151 mm (5pcs)
2608577223	5,5 x 57 x 93 mm (10pcs)	2608577306	14,0mm (reduced shank) (1pc)
2608577228	6 x 57 x 93 mm (10pcs)	2608577308	15,0mm (reduced shank) (1pc)
2608577233	6,5 x 63 x 101 mm (10pcs)	2608577310	16,0mm (reduced shank) (1pc)
2608577238	7 x 69 x 109 mm (10pcs)	2608577312	17,0mm (reduced shank) (1pc)
2608577243	7,5 x 69 x 109 mm (10pcs)	2608577313	18,0mm (reduced shank) (1pc)
2608577248	8 x 75 x 117 mm (10pcs)	2608577314	19,0mm (reduced shank) (1pc)
2608577253	8,5 x 75 x 117 mm (10pcs)	2608577315	20,0mm (reduced shank) (1pc)
2608577258	9 x 81 x 125 mm (10pcs)		

HSS-G

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608595049	Metal drill bits HSS-G, DIN 338 1 x 12 x 34 mm (10pcs)	2608595072	Metal drill bits HSS-G, DIN 338 8 x 75 x 117 mm (5pcs)
2608595051	Metal drill bits HSS-G, DIN 338 2 x 24 x 49 mm (10pcs)	2608595073	Metal drill bits HSS-G, DIN 338 8,5 x 75 x 117 mm (5pcs)
2608595055	Metal drill bits HSS-G, DIN 338 3 x 33 x 61 mm (10pcs)	2608595075	Metal drill bits HSS-G, DIN 338 9 x 81 x 125 mm (5pcs)
2608595058	Metal drill bits HSS-G, DIN 338 3,5 x 39 x 70 mm (10pcs)	2608595077	Metal drill bits HSS-G, DIN 338 10 x 87 x 133 mm (5pcs)
2608595059	Metal drill bits HSS-G, DIN 338 4 x 43 x 75 mm (10pcs)	2608595078	Metal drill bits HSS-G, DIN 338 10,5 x 87 x 133 mm (5pcs)
2608595061	Metal drill bits HSS-G, DIN 338 4,5 x 47 x 80 mm (10pcs)	2608595079	Metal drill bits HSS-G, DIN 338 11 x 94 x 142 mm (5pcs)
2608595062	Metal drill bits HSS-G, DIN 338 5 x 52 x 86 mm (10pcs)	2608595080	Metal drill bits HSS-G, DIN 338 11,5 x 94 x 142 mm (5pcs)
2608595064	Metal drill bits HSS-G, DIN 338 5,5 x 57 x 93 mm (10pcs)	2608595081	Metal drill bits HSS-G, DIN 338 12 x 101 x 151 mm (5pcs)
2608595066	Metal drill bits HSS-G, DIN 338 6 x 57 x 93 mm (10pcs)	2608595083	Metal drill bits HSS-G, DIN 338 13 x 101 x 151 mm (5pcs)
2608595068	Metal drill bits HSS-G, DIN 338 6,5 x 63 x 101 mm (10pcs)	2608585593	Metal drill bits HSS-G, DIN 338 14 x 108 x 160 mm (4pcs)
2608595070	Metal drill bits HSS-G, DIN 338 7 x 69 x 109 mm (10pcs)	2608585594	Metal drill bits HSS-G, DIN 338 15 x 114 x 169 mm (4pcs)
2608595071	Metal drill bits HSS-G, DIN 338 7,5 x 69 x 109 mm (10pcs)	2608585595	Metal drill bits HSS-G, DIN 338 16 x 120 x 178 mm (4pcs)

Metal Drill Bits



2608587013 Probox HSS-G, 1-10 mm (19pcs)
2608587017 Probox HSS-G, 1-13 mm (25pcs)



2608587015 Probox HSS-TiN, 1-10 mm (19pcs)
2608587019 Probox HSS-TiN, 1-13 mm (25pcs)




2608587012 Probox HSS-R, 1-10 mm (19pcs)
2608587016 Probox HSS-R, 1-13 mm (25pcs)



2608587014 Probox HSS-Co, 1-10 mm (19pcs)
2608587018 Probox HSS-Co, 1-13 mm (25pcs)

HSS Co-balt

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608585874	2 x 24 x 49 mm (10pcs)	2608585890	6,5 x 63 x 101 mm (10pcs)
2608585876	3 x 33 x 61 mm (10pcs)	2608585892	7 x 69 x 109 mm (10pcs)
2608585879	3,5 x 39 x 70 mm (10pcs)	2608585894	8 x 75 x 117 mm (5pcs)
2608585880	4 x 43 x 75 mm (10pcs)	2608585896	9 x 81 x 125 mm (5pcs)
2608585883	4,5 x 47 x 80 mm (10pcs)	2608585898	10 x 87 x 133 mm (5pcs)
2608585885	5 x 52 x 86 mm (10pcs)	2608585901	11 x 94 x 142 mm (5pcs)
2608585888	5,5 x 57 x 93 mm (10pcs)	2608585903	12 x 101 x 151 mm (5pcs)
2608585889	6 x 57 x 93 mm (10pcs)	2608585905	13 x 101 x 151 mm (5pcs)



CYL-9 Multi Construction Drilling in all kinds of material

REFERENCE	DESCRIPTION
2608596050	Multi-purpose drill bit CYL-9 Multi Construction 4 x 40 x 75 mm, d 3,8 mm
2608596051	Multi-purpose drill bit CYL-9 Multi Construction 5 x 50 x 85 mm, d 4,5 mm
2608596053	Multi-purpose drill bit CYL-9 Multi Construction 6 x 60 x 100 mm, d 5,5 mm
2608596055	Multi-purpose drill bit CYL-9 Multi Construction 8 x 80 x 120 mm, d 7,2 mm
2608596057	Multi-purpose drill bit CYL-9 Multi Construction 10 x 80 x 120 mm, d 9 mm
2608596058	Multi-purpose drill bit CYL-9 Multi Construction 12 x 90 x 150 mm, d 10 mm
2608596065	Multi-purpose drill bit CYL-9 Multi Construction 14 x 200 x 250 mm, d 10 mm

Holesaws

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608580397	HSS bi-metal holesaw for standard adapters 16mm	2608580432	HSS bi-metal holesaw for standard adapters 76mm
2608580399	HSS bi-metal holesaw for standard adapters 19mm	2608580433	HSS bi-metal holesaw for standard adapters 79mm
2608580400	HSS bi-metal holesaw for standard adapters 20mm	2608580434	HSS bi-metal holesaw for standard adapters 83mm
2608580402	HSS bi-metal holesaw for standard adapters 22mm	2608580436	HSS bi-metal holesaw for standard adapters 89mm
2608580404	HSS bi-metal holesaw for standard adapters 25mm	2608580437	HSS bi-metal holesaw for standard adapters 92mm
2608580408	HSS bi-metal holesaw for standard adapters 32mm	2608580438	HSS bi-metal holesaw for standard adapters 95mm
2608580410	HSS bi-metal holesaw for standard adapters 35mm	2608580439	HSS bi-metal holesaw for standard adapters 98mm
2608580412	HSS bi-metal holesaw for standard adapters 38mm	2608580440	HSS bi-metal holesaw for standard adapters 102mm
2608580413	HSS bi-metal holesaw for standard adapters 40mm	2608580441	HSS bi-metal holesaw for standard adapters 105mm
2608580416	HSS bi-metal holesaw for standard adapters 44mm	2608580443	HSS bi-metal holesaw for standard adapters 111mm
2608580417	HSS bi-metal holesaw for standard adapters 46mm	2608580444	HSS bi-metal holesaw for standard adapters 114mm
2608580418	HSS bi-metal holesaw for standard adapters 48mm	2608580445	HSS bi-metal holesaw for standard adapters 121mm
2608580419	HSS bi-metal holesaw for standard adapters 51mm	2608580446	HSS bi-metal holesaw for standard adapters 127mm
2608580420	HSS bi-metal holesaw for standard adapters 52mm	2608580448	HSS bi-metal holesaw for standard adapters 152mm
2608580421	HSS bi-metal holesaw for standard adapters 54mm		
2608580423	HSS bi-metal holesaw for standard adapters 57mm		
2608580426	HSS bi-metal holesaw for standard adapters 64mm		
2608580429	HSS bi-metal holesaw for standard adapters 68mm		

Progressor Holesaw


REFERENCE	DESCRIPTION
2608584618	Progressor holesaw 22 mm, 7/8"
2608584620	Progressor holesaw 25 mm, 1"
2608584624	Progressor holesaw 32 mm, 1 1/4"
2608584626	Progressor holesaw 35 mm, 1 3/8"
2608584629	Progressor holesaw 40 mm, 1 9/16"
2608584635	Progressor holesaw 51 mm, 2"
2608584642	Progressor holesaw 64 mm, 2 1/2"
2608584645	Progressor holesaw 68 mm, 2 11/16"
2608584657	Progressor holesaw 105 mm, 4 1/8"



Sheet Metal Holesaw

For the toughest demands

REFERENCE	DESCRIPTION
2608584781	Sheet Metal holesaw 20 mm, 25/32"
2608584787	Sheet Metal holesaw 30 mm, 1 3/16"
2608584790	Sheet Metal holesaw 35 mm, 1 3/8"
2608584795	Sheet Metal holesaw 48 mm, 1 7/8"
26085 84803	Sheet Metal holesaw 68 mm, 2 11/16"



Holesaws and Flexible Abrasives


Holesaw Sets

REFERENCE	DESCRIPTION
1609200243	8-piece hole cutter set 25; 32; 38; 44; 51; 57; 63; 68 mm
2607018389	9-piece electrician holesaw set 22; 29; 35; 44; 51; 64 mm
2607018390	14-piece holesaw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm
2608580803	9-piece plumber holesaw set, bi-metal 19, 22, 29, 38, 44,57, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608584667	9-piece electrician holesaw set, bi-metal 20, 25, 32, 38, 51, 64, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608580804	14-piece Progressor holesaw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm



Holesaw adapters

REFERENCE	DESCRIPTION
2608584674	Power-Change adapter 8 mm hex shank
2608584675	Power-Change adapter SDS-plus shank
2609390034	Hexagon socket adapter 5/8" - 18 UNF, 32-210 mm
2609390035	SDS-plus adapter 1/2"-20 UNF, 14-30 mm
2609390036	SDS-plus adapter 5/8" - 18 UNF, 32-210 mm
2609390588	Hex socket arbor guide bit 3/8" ,14mm-30mm



Fibre-Sanding Discs

Expert for metal

REFERENCE	DESCRIPTION
2608608N99	Fibre-Sanding Disc, 115 mm, Expert for Metal P36
2608608P00	Fibre-Sanding Disc, 115 mm, Expert for Metal P60
2608608P01	Fibre-Sanding Disc, 115 mm, Expert for Metal P80
2608608P12	Fibre-Sanding Disc, 180 mm, Expert for Metal P60
2608608P13	Fibre-Sanding Disc, 180 mm, Expert for Metal P80
2608601005	Backing pad 115 mm, 13 300 rpm
2608601209	Backing pad 180 mm, 8 500 rpm



Flap Discs

Expert for metal

REFERENCE	DESCRIPTION
2608603345	Flapdisc, Standard for Metal 115 mm, 22.23 mm, G40
2608603346	Flapdisc, Standard for Metal 115 mm, 22.23 mm, G60
2608603347	Flapdisc, Standard for Metal 115 mm, 22.23 mm, G80
2608603348	Flapdisc, Standard for Metal 115 mm, 22.23 mm, G120
2608605450	Flap disc, Best for Metal 115 mm, 22.23 mm, G40
2608605451	Flap disc, Best for Metal 115 mm, 22.23 mm, G60
2608605452	Flap disc, Best for Metal 115 mm, 22.23 mm, G80
2608607319	Flap disc, Best for Metal 115 mm, 22.23 mm, G120



Bonded Abrasives and Blades

Bonded Abrasives:Standard



REFERENCE	DESCRIPTION
2608603159	Standard for Metal cutting disc with depressed centre, 115 mm, 22,23 mm, 2,5 mm
2608603160	Standard for Metal cutting disc with depressed centre, 125 mm, 22,23mm, 2,5 mm
2608603161	Standard for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608603162	Standard for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608603181	Standard for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608603182	Standard for Metal grinding disc with depressed centre, 125 mm, 22,23 mm, 6,0 mm
2608603183	Standard for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608603184	Standard for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608602759	Standard for Metal straight cutting disc, 355 mm, 25,40 mm, 3,1 mm
2608603169	Standard for INOX straight cutting disc, 115 mm x 1,0 mm x 22,23 mm

Bonded Abrasives:Expert



REFERENCE	DESCRIPTION
2608600005	Expert for Metal cutting disc with depressed centre, 115 mm, 22,23 mm, 2,5 mm
2608600316	Expert for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608600226	Expert for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608600218	Expert for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608600315	Expert for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608600228	Expert for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608600542	Expert for Metal straight cutting disc, 300 mm, 25,40 mm, 2,8 mm
2608600543	Expert for Metal straight cutting disc, 350 mm, 25,40 mm, 2,8 mm
2608600545	Expert for INOX straight cutting disc, 115 mm, 22,23 mm, 1,0 mm
2608600549	Expert for INOX straight cutting disc, 125 mm, 22,23 mm, 1,0 mm
2608600710	Expert for INOX straight cutting disc, 180 mm, 22,23 mm, 1,6 mm
2608603407	Expert for INOX straight cutting disc, 230 mm, 22,23 mm, 1,9 mm
2608600096	Expert for INOX straight cutting disc, 230 mm, 22,23 mm, 2,0 mm

Jig Saw Blades



REFERENCE	DESCRIPTION
2608631013	Jigsaw blade T 118 A Basic for Metal (5pcs)
2608631964	Jigsaw blade T 118 A Basic for Metal (100pcs)
2608631017	Jigsaw blade T 127 D Special for Alu (5pcs)
2608631319	Jigsaw blade T 318 A Basic for Metal (5pcs)

Sabre saw blades Flexible for metal



REFERENCE	DESCRIPTION
2608656041	Sabre saw blade S 1122 BF Flexible for Metal
2608654405	Sabre saw blade S 3456 XF Progressor for Wood and Metal
2608653131	S 957 CHM 150 mm x 20 mm x 1.35 mm sabre rescue blades (10pcs)
2608653133	S 1157 CHM 225 mm x 20 mm x 1.35 mm sabre rescue blades (10pcs)

Circular Saw Blades

Circular saw blades

REFERENCE	DESCRIPTION
2608644411	Circular saw blade ECO for Aluminium 184x2.2/1.4x20 60T
2608644412	Circular saw blade ECO for Aluminium 254x3.0/2.2x30 96T
2608644414	Circular saw blade ECO for Aluminium 305x3.2/2.2x30 80T

NEW




Circular Saw blades

REFERENCE	DESCRIPTION
2608642193	Circular saw blade Multi Material, 184 mm x 20 mm x 2,0 mm, T60
2608642197	Circular saw blade Multi Material, 235 mm x 25 mm x 2,0 mm, T80
2608640509	Circular saw blade Multi Material, 190 mm x 30 mm x 2,4mm, 54T
2608640514	Circular saw blade Multi Material, 235 mm x 30/25 mm x 2,4 mm, 64T
2608640451	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 96T
2608642202	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 100T
2608642208	Circular saw blade Multi Material, 305 mm x 30 mm x 2,7 mm, 80T
2608640452	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 80T
2608640453	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 96T
2608642209	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 100T
2608642210	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 120T



REFERENCE	DESCRIPTION
2608642529	Circular saw blade Expert for Multi Material, 305 mm x 30 mm x 2,4 mm, 96T
2608643060	Circular saw blade Expert for Steel 305 mm x 25,4 mm x 2,6 mm, 60T
2608644115	Circular saw blade Expert for Aluminium 305 mm x 30 mm x 2,8 mm, 96T



Others


Multi-Cutter Accessories

REFERENCE	DESCRIPTION
2608661636	BIM segment saw blade ACZ 85 EB Wood and Metal 85 mm
2608661781	BIM plunge cut saw blade All 65 APB Wood and Metal 40 x 65 mm
2608661644	BIM plunge cut saw blade AIZ 32 APB Wood and Metal 50 x 32 mm
2608662018	Carbide plunge cut saw blade AIZ 32 AT Metal 40 x 32 mm



Others

REFERENCE	DESCRIPTION
1608571048	Keyed chucks up to 13 mm 1.5–13 mm, 1/2"–20
1608571062	Keyed chucks up to 13 mm 1.5–13 mm, 1/2"–20
1608571056	Keyed chucks up to 16 mm 3 – 16 mm, 5/8"–16
1608571056	Keyed chucks up to 16 mm 3–16 mm, 5/8"–16
1608614002	Wire cup brush 100 mm, 0,8 mm, M14
1608614011	Wire cup brush 100 mm, 0,5 mm, M14



Measuring Tools

GLM 120 C Laser Measure

0601072F70



GLM 250 Laser Measure

061599402J



Measurement range	0.08 – 120 m
Measurement accuracy, typical	± 1.5 mm
Power supply	1 x 3.6 V Li-Ion battery (3120 mAh)
Memory capacity (values)	50
Units of measurement	m/cm/mm/ft/inch/ft-inch

Measurement range	0.05 – 250 m
Measurement accuracy, typical	± 1.5 mm
Power supply	4 x 1.5 V LR03 (AAA)
Memory capacity (values)	30
Units of measurement	m/cm/mm

GIM 60 Digital Inclinator

0601076700



GAM 220 MF Angle Measurer

0601076600



Measurement range	0 – 360° (4 x 90°)
Measurement accuracy, typical	± 0.057° = ± mm/m
Length	60 cm
Power supply	4 x 1.5 V LR6 (AA)

Measurement range	0 – 220°
Measurement accuracy, vial	± 0.1°
Length x width x height	446 x 52 x 60 mm
Power supply	4 x 1.5 V LR6 (AA)

GLL 3-80 Line Laser

0601063S00



GLL 3-80 CG + kit Line Laser

0601063T70



Working range with receiver	120 m (diameter)
Working range without receiver	30 m (diameter)
Self levelling range	± 4°
Accuracy	± 0.2 mm/m
Projection	3 x 360° red lines

Working range with receiver	120 m (diameter)
Working range without receiver	30 m (diameter)
Self levelling range	± 4°
Accuracy	± 0.2 mm/m
Projection	3 x 360° bold green lines



**THE SMART WAY
TO MEASURE.**

Bosch Professional Measuring Tools.

Simply.
Connected.

Product Name	Carbon brush	Electron. Module	Switch	Armature	Motor	Field coil
GSR 120-LI	-	2609125169	-	-	1607000C5K	-
GSR 180-LI	1607000CZ1	2607202330	-	-	160702266N	-
GSB 120-LI	-	2609125169	-	-	2609199428	-
GSB 180-LI + acc	1607000CZ1	2607202346	-	-	160702266N	-
GSB 18V-60 C	-	16072335D9	-	-	2609199894	-
GSB 18V-85 C	-	16072335DB	-	-	1600A00XG0	-
GDR 120-LI	-	2607202312	-	-	1600A00PE3	-
GDS 250-LI	1604321174	2609199892	-	-	2609120731	-
GDX 180-LI	160701418R	1600A011E6	-	-	160702267M	-
GKS 18V-57	-	2609125169	-	1619P11898	-	-
GWS 18 V-LI	-	2607202346	-	-	16170006B0	-
GST 18 V-LI	-	160723359P	-	-	2607022831	-
GSB 1300 / GSB 550	1619PA1407	-	1600A00F9H	1619PA0697	-	1619PA0678
GSB 13 RE + acc	2610391290	-	2609125171	2609199667	-	2609120588
GSB 16 RE + acc	2607014013	-	2609199616	2609120235	-	2604220647
GSB 18-2 RE	1617000525	-	2609199616	2609199451	-	2609120463
GSB 24-2 RE	1617000525	-	2609199958	2604011401	-	2604220727
GSB 162-2 RE	2604321947	-	2609125169	1600A004L1	-	1619P08345
GBM 1000	1619P20174	-	2607202346	1619P20172	-	1619P20173
GBM 1600 RE	1619PA7827	-	160723359P	1619PA7851	-	1619PA7815
GDS 18 E	1619PA2438	-	1600A00FG11	1619PA2436	-	1619PA2435
GDS 24	3607014012	-	2609125173	3604010071	-	3604220138
GWS 060	1619P07571	-	2607202330	1619P01844	-	1619P12316
GWS 6700	1619P07571	-	2609199958	1619P09445	-	1619P09446
GWS 750-115 + CB	1619P11715	-	2609125169	1619P08234	-	1619P08334
GWS 9-115	1619P11715	-	2607202346	1619P10952	-	1619P10953
GWS 9-115 S	1619P11715	-	160723359P	1619P10952	-	1619P10953
GWS 19-125 CIE	1607000V37	-	16072335D13	1600A00D2N	-	160422053W
GWS 2000-180	1607014171	-	2625180532	1604011252	-	1604220380
GWS 2000-230 + CB	1607014171	-	1600A00F9H	1604011252	-	1604220380
GWS 2200-180	1607014171	-	16072335DK	1604011930	-	1604220380
GWS 2200-230	1607014171	-	2609199616	1604011930	-	1604220380
GWS 24-230 H	1607014171	-	2607202330	1604011304	-	1604220467
GWS 26-230 B	1607014171	-	2609199958	1604011932	-	1604220382
GG5 5000 L	1607014145	-	2627178112	1619P08212	-	1619P09888
GG5 28 LC	1607014176	-	2629175692	3607030476	-	3607030475
GPO 950	1619PB1971	-	1600A011E11	1619PB1970	-	1619PB1969
GPO 14 CE	1607014176	-	1600A00F9H	1619P09115	-	1604220417
GBG 35-15	-	-	16072335DK	1619PB1470	-	1619PB1468
GBG 60-20	-	-	2609199616	1619PB1471	-	1619PB1469
GCO 2000	1607014171	-	2609199616	1609B00046	-	1609B00001
GCO 220	1607014171	-	2609199958	1609B03639	-	1609B00135
GCO 240	1607014171	-	2609125169	1609B03638	-	1609B00137
GCD 12 JL	1607014171	-	2607202346	1609B04679	-	1609B00115
GST 650	1619PB3118	-	16072335DB	1604010B9L	-	1604220575
GST 700	1619P13476	-	2631173272	1619P13749	-	1619P13750
GST 150 BCE	2604321941	-	1600A011E12	2604011394	-	2604220584
GKS 190	1619P06346	-	1600A00F9H	1619P06345	-	1619P04474
GKS 9	1619P10476	-	1600A00F9H	1619P10475	-	1619P08335
GHG 180	-	-	1600A00FG15	1619PB2798	1619PB2788	-
GCM 10 MX	1619PA7057	-	160723359P	1619PA7056	-	1619PA6835
GCM 12 MX	2610021311	-	16072335D17	1609B01723	-	1609B01621
GCM 12 GDL	2610021311	-	16072335DB	1609B02590	-	1609B02484
GTM 12 JL	1619PA4631	-	2639163592	1619PA4307	-	1619PA4305
GTS 10 J	2610018332	-	2641161172	1619P03278	-	1609203K86



BOSCH

LET US TAKE CARE OF YOUR TOOL

Safe, Conscientious and Fast: Repairs by Bosch

Pickup and
drop-off
arrangement



Robert Bosch East Africa Ltd.
Power Tools Division
Fedha Plaza, Ground Floor
Mpaka Road-Westlands, Nairobi
Sales: 0790 205 211

Dealer Stamp

