



BOSCH



Wood Catalogue

Power tools, measuring tools and accessories

Nguvu Mkononi na Bosch!

Cordless

GSR 120-LI
Cordless Drill Driver

06019G80L0



Battery voltage	12 V
Torque (soft/hard)	14/30 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1500 rpm
Max. drilling Ø in wood / steel	20 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSB 120-LI
Cordless Impact Drill

06019G81L0



Battery voltage	12 V
Torque (soft/hard)	14/30 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1500 rpm
Max. drilling Ø in wood/masonry/steel	20 / 8 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSR 180-LI
Cordless Drill Driver

06019F81L1



Battery voltage	18 V
Torque (soft/hard)	21/54 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 500 / 0 - 1900 rpm
Max. drilling Ø in wood / steel	35/10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSB 180-LI + 23 accessories
Cordless Impact Drill

06019F83L1



Battery voltage	18 V
Torque (soft/hard)	21/54 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 500 / 0 - 1900 rpm
Max. drilling Ø in wood/masonry/steel	35 / 10 / 10 mm
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GSB 180-LI
Cordless Impact Drill

06019F83L6



Battery voltage	18 V
Torque (soft/hard)	21/54 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 500 / 0 - 1900 rpm
Max. drilling Ø in wood/masonry/steel	35 / 10 / 10 mm
Scope of Supply	1 x 1.5 Ah Li-ion battery, charger, carrying case

GDR 120-LI
Cordless Impact Driver

06019F00L1



Battery voltage	12 V
Torque, max.	100 Nm
No-load speed (1 st level, 2 nd level)	0-1300/2600 rpm
Tool holder	1/4" internal hexagon and 1/2" internal hexagon
Scope of Supply	2 x 1.5 Ah Li-ion battery, charger, carrying case

GDX 180-LI
Cordless Impact Driver / Wrench

06019G5220



Battery voltage	18 V
Torque, max.	180 Nm
No-load speed	0 - 2800 rpm
Tool holder	1/4" internal hexagon and 1/2"external square
Scope of Supply	2 x 3.0 Ah Li-ion battery, charger, carrying case

GDS 250-LI
Cordless Impact Wrench

06019G61L0



Battery voltage	18 V
Torque, max.	250 Nm
No-load speed	0 - 2400 rpm
Tool holder	1/2" external square
Scope of Supply	2 x 3.0 Ah Li-ion battery, charger, carrying case

Drilling & Cutting

GBM 1000
Rotary Drill

06011A90L1



Rated input power	350 W
No-load speed	0 - 2500 rpm
Chuck capacity	1 - 10 mm
Drilling Ø in wood/aluminium/steel	20/13/10 mm

GSB 570
Impact Drill

06011B70L0



Rated input power	570 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/concrete/steel	25/13/10 mm

GSB 550 + 90 accessories
Impact Drill

06011A15L1



Rated input power	550 W
No-load speed	0 - 2800 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/concrete/steel	25/13/10 mm

GST 650
Jigsaw

06015A80L0



Rated input power	450 W
Stroke rate at no load	800 - 3100 spm
Stroke length	18 mm
Cutting depth in wood/aluminium/steel	65/10/3 mm

GST 700
Jigsaw

06012A70P0



Rated input power	500 W
Stroke rate at no load	1450 - 3200 spm
Stroke length	20 mm
Cutting depth in wood/aluminium/steel	70/10/6 mm

GST 700
Jigsaw

06012A70L1



Rated input power	500 W
Stroke rate at no load	1450 - 3200 spm
Stroke length	20 mm
Cutting depth in wood/aluminium/steel	70/10/6 mm

GKS 140
Circular saw

06016B30L1



Rated input power	1400 W
Blade / bore diameter	184 / 20 mm
No-load speed	6000 rpm
Max. depth of cut at 0°/45°	64 / 45 mm

GSA 120
Sabre Saw

06016B10L0



Rated input power	1200 W
Saw stroke length	29 mm
Stroke rate at no-load	0 - 3000 spm
Cutting depth in wood	220 mm

Sanding, Planing, Routing & Airflow

GSS 140
Orbital Sander

06012A80L0



Rated input power	220W
No-load orbital stroke rate	28000 opm
Sanding sheet for clamping, Length x width	140 x 114 mm
Weight	1.2 Kg
Scope of supply	3 x sanding sheet C470, Best for wood + paint, 80

GSS 2300
Orbital Sander

06012980L0



Rated input power	190 W
No-load orbital stroke rate	24000 opm
Sanding sheet for clamping, Length x width	230 x 93 mm
Weight	1.5 Kg
Scope of supply	3 sanding sheets

GHO 700
Planer

06015A90K1



Rated input power	700 W
No-load speed	16500 rpm
Cutting depth	0 - 2.6 mm
Adjustable rebating depth	0 - 9 mm
Planing width	82 mm

GKF 550
Palm Router

06016A00P0



Rated input power	550 W
No-load speed	33000 rpm
Collet diameter	6 mm
Weight	1.4 Kg
Scope of supply	Parallel guide, roller guide, template guide, 10 / 17 mm spanner

GHG 180
Heat Gun

060194D0L0



Rated input power	1800 W
Working temperature	60 - 550 °C
Air flow	350 - 550 l/min
Weight	0.75 Kg
Heat-up time	1 min

GBL 620
Blower

06019805L0



Rated input power	620 W
Volumetric flow rate	3.5 m³/min
No-load speed	16000 rpm
Weight	1.7 Kg
Scope of supply	Nozzle

GAS 15
Wet & Dry Extractor

06019E5000



Rated input power	1100 W
Filter surface area	2300 cm²
Container volume, gross	15 l
Weight	6 Kg
Max.air flow rate (turbine)	53 l/s



Rotary & Impact Drills

GBM 1600 RE
Rotary Drill

06011B00L0



HEAVY DUTY

Rated input power	850 W
No-load speed	0 - 630 rpm
Chuck capacity	1 - 16 mm
Drilling Ø in wood/steel	40/16 mm

GSB 13 RE + accessories
Impact Drill

06012271L1



HEAVY DUTY

Rated input power	650 W
No-load speed	0-3150 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/concrete/steel	25/13/10 mm

GSB 16 RE + accessories
Impact Drill

06012281L1



HEAVY DUTY

Rated input power	750 W
No-load speed	0 - 3250 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/concrete/steel	25/16/13 mm

GSB 20-2 RE
Impact Drill

06011A21L0 (Keyed)



HEAVY DUTY

Rated input power	800 W
No-load speed (1 st gear / 2 nd gear)	0 - 1100 / 3000 rpm
Chuck capacity	1.5 - 20 mm
Drilling Ø in wood/concrete/steel	40/20/13 mm

GSB 24-2
Impact Drill

060119C801(Keyless)
060119C970(Keyed)



HEAVY DUTY

Rated input power	1100 W
No-load speed (1 st gear/ 2 nd gear)	0 - 900 / 3000 rpm
Chuck capacity	1.5 - 13 mm
Drilling Ø in wood/concrete/steel	40/24/16 mm

GSB 162-2 RE
Impact Drill

060118B070



HEAVY DUTY

Rated input power	1500 W
No-load speed (1 st gear/ 2 nd gear)	0 - 750 / 1800 rpm
Chuck capacity	3 - 16 mm
Drilling Ø in wood/concrete/masonry*/steel	50/82/162/20 mm

*using dry core cutters



Cordless

GSB 18V-50
Cordless Impact Drill

06019H51L0



HEAVY DUTY

Battery voltage	18 V
Torque (soft/hard)	28/50 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 400 / 0 - 1800 rpm
Max. drilling Ø in wood/masonry/steel	35/13/13 mm
Scope of Supply	2 x 2.0 Ah Li-ion battery, charger, carrying case

GSB 18V-60 C
Cordless Impact Drill

06019G2170



HEAVY DUTY

Battery voltage	18 V
Torque (soft/hard)	31 / 60 Nm
No-load speed (1 st gear / 2 nd gear)	0 - 600 / 0 - 1900 rpm
Max. drilling Ø in wood/masonry/steel	38/13/13 mm
Scope of Supply	2 x 5.0 Ah Li-ion battery, charger, carrying case

HEAVY DUTY

2. Choose your tools

GSA 18V-LI
Cordless Sabre Saw

060164J000



HEAVY DUTY

Battery voltage	18 V
Stroke length	28 mm
Stroke rate (1 st gear / 2 nd gear)	2400 - 2700 spm
Tool holder	SDS mechanism
Scope of Supply	Without battery and charger

GOP 18V-28
Cordless Multi Cutter

06018B6002



HEAVY DUTY

Battery voltage	18 V
No-load speed	8000 - 20000 opm
Tool holder	StarlockPlus
Oscillation angle on left and right	1.4°
Scope of Supply	Without battery and charger

Cordless | FreeMix

1. Select your charger / battery / starter set



GAL 18V-40 | 1600A019RJ



GAL 1880 CV | 1600A00B8H



GBA 18V, 5.0 Ah | 1600A002U5



ProCore 18V, 8.0 Ah | 1600A016GK



ProCore 18V, 12.0 Ah | 1600A016GU



StarterKit 18V 4.0 Ah | 1600A002F9



StarterKit 18V 5.0 Ah | 1600A00B8K



HEAVY DUTY

Battery voltage	18 V
Stroke rate at no load	2700 spm
Stroke height	23 mm
Cutting depth in wood / steel	120 / 8 mm
Scope of Supply	Without battery and charger



GST 18V-LI S
Cordless Jigsaw

06015A5100

HEAVY DUTY

Battery voltage	18 V
No-load speed	3400 rpm
Saw blade / bore diameter	165 / 16 mm
Cutting depth 0°/ 45°	57 / 39 mm
Scope of Supply	Without battery and charger



GKS 18V-57
Cordless Circular Saw

06016A2200

HEAVY DUTY

Battery voltage	18 V
Torque, max	200 Nm
No-load speed (1 st /2 nd /3 rd setting)	0-1100/2300/3400 rpm
Tool holder	1/4" internal hexagon and 1/2" external square
Scope of Supply	Without battery and charger



GDX 18V-200 C
Cordless Impact Driver / Wrench

06019G4204

HEAVY DUTY

Battery voltage	18 V
No-load speed	17000 rpm
Max. airflow	120 m³/h
Weight excl. Battery	1.1 Kg
Scope of Supply	Without battery and charger



GBL 18V-120
Cordless Blower

06019F5100

GAS 18V-1
Cordless Vacuum Cleaner

06019C6200



HEAVY DUTY

Battery voltage	18 V
Filter surface area	55 cm²
Container volume	0.7 l
Operating time (18V)	7 min/Ah
Weight excl. Battery	1.3 Kg

3. Ready to go!
Get the Bosch Tool bag for convenient storage and transportation.



Cutting, Routing & Planing

GST 150 BCE
Jigsaw

0601513070



HEAVY
DUTY

Rated input power	780 W
Stroke rate at no load	500 - 3100 spm
Weight	2.7 kg
Cutting depth wood/aluminium/steel	150/20/10 mm



HEAVY
DUTY

GKS 190
Circular saw

0601623071



HEAVY
DUTY

Rated input power	1400 W
Saw blade / bore diameter	184 / 20 mm
No-load speed	5200 rpm
Max. depth of cut at 0°/45°	67/49 mm

GKS 9
Circular saw

06015A2070



HEAVY
DUTY

Rated input power	2050 W
Saw blade / bore diameter	235 / 30 mm
No-load speed	5300 rpm
Max. depth of cutting in wood at 0°/45°	85 / 65 mm

GOP 30-28 + 8 acc
Multi Cutter

06012370L0



HEAVY
DUTY

Rated input power	300 W
No-load oscillation speed	8000 - 20000 opm
Oscillation angle on left & right	1.4°
Weight	1.5 Kg
Tool holder	StarlockPlus



GOF 1250 CE
Router

0601626071



HEAVY
DUTY

Rated input power	1250 W
No-load speed	10000 - 24000 rpm
Collet diameter	6 - 8 mm
Weight	3.6 Kg
Scope of supply	Open-ended spanner 19 mm, parallel guide with fine adjustment, collet with nut 8 mm

GHO 26-82 D
Planer

06015A4370



HEAVY
DUTY

Rated input power	710 W
No-load speed	18000 rpm
Cutting depth	0 - 2.6 mm
Adjustable rebating depth	0 - 9 mm
Planing width	82 mm

Sanding & Airflow

GEX 125-1 AE
Random Orbit Sander

0601387571



HEAVY
DUTY

Rated input power	250 W
No-load orbital stroke rate	15000 - 24000 opm
Eccentricity	1.25 mm
Sanding sheet / disc attachment	hook-and-loop fastening, 8 holes
Weight	1.3 Kg

GEX 125-150 AVE
Random Orbit Sander

060137B1P0



HEAVY
DUTY

Rated input power	400 W
No-load orbital stroke rate	11000 - 24000 opm
Eccentricity	2 mm
Sanding sheet / disc attachment	hook-and-loop fastening, 6 holes
Weight	2.4 Kg

GBS 75 AE
Belt Sander

0601274703



HEAVY
DUTY

Rated input power	750 W
Belt speed	200 - 330 m/min
Belt length / width	533 / 75 mm
Weight	3.4 Kg
Scope of supply	Dust bag, fabric sanding belt, graphite plate



GHG 23-66 + acc
Heat Gun

06012A6371



HEAVY
DUTY

Rated input power	2300 W
Working temperature	50 - 660°C
Air flow	150 - 500 l/min
Weight	0.6 Kg
Scope of supply	Glass protection nozzle 75mm, surface nozzle 50mm

GBL 800 E
Blower

06019804P0



HEAVY
DUTY

Rated input power	820 W
Volumetric flow rate	4.5 m³/min
No-load speed	16000 rpm
Weight	2.25 Kg
Scope of supply	Nozzle, dust bag

GAS 12-25 PL
Wet & Dry Extractor

060197C1L0



HEAVY
DUTY

Rated input power	1250 W
Filter surface area	2300 cm²
Container volume, gross	25 l
Weight	9 Kg
Max.air flow rate (turbine)	65 l/s

GAS 35 L SFC+
Wet & Dry Extractor

06019C3060



HEAVY
DUTY

Rated input power	1200 W
Filter surface area	6150 cm²
Container volume, gross	35 l
Weight	11.6 Kg
Max.air flow rate (turbine)	74 l/s

Benchtop

GCM 10 MX
Mitre Saw

0601B290P0



Rated input power	1700 W
Saw blade / bore diameter	254 / 30 mm
No-load speed	4800 rpm
Cutting capacity, 0° /45° bevel	89 x 89 / 86 x 67 mm



HEAVY
DUTY

GTM 12 JL
Combination Saw

0601B15071



HEAVY
DUTY

Rated input power	1800 W
Saw blade / bore diameter	305 / 30 mm
No-load speed	3800 rpm
Cutting capacity at 0°	95 x 150 mm

GCM 12 GDL
Gliding Mitre Saw

0601B23670



HEAVY
DUTY

Rated input power	2000 W
Saw blade / bore diameter	305 / 30 mm
No-load speed	3800 rpm
Cutting capacity, 0° /45° mitre	104 x 341 / 104 x 240 mm

GTA 2600
Stand

0601B12300



HEAVY
DUTY

Length of work bench	2600 mm
Height of work bench	947 mm
Weight	19.6 kg
Dimension of table (folded)	820 mm

GTS 10 J
Table Saw

0601B30570



HEAVY
DUTY

Rated input power	1800 W
Saw blade / bore diameter	254 / 30 mm
No-load speed	3650 rpm
Cutting height at 0°	79 mm



A pro table saw by Bosch Professional:
**Extremely compact and powerful
sawing**
GTS 10 J Professional



- 1 **High-performance motor**
with powerful 1800 watts
- 2 **Optimum transport**
due to compact design and many gripping surfaces
- 3 **Tool-free settings,**
such as lowering the riving knife for concealed cuts

Further information
on the tool's packaging.

Wood Drill Bits & Screwdriver Bits



Self Cut Speed Spade Bits

REFERENCE	DESCRIPTION
2608595487	Hexagon 16 x 152 mm
2608595489	Hexagon 18 x 152 mm
2608595491	Hexagon 20 x 152 mm
2608595492	Hexagon 22 x 152 mm
2608595493	Hexagon 24 x 152 mm
2608595494	Hexagon 25 x 152 mm
2608595498	Hexagon 32 x 152 mm
2608587009	7-piece set 16; 18; 20; 22; 25; 32 mm
2608587010	13-piece set 10; 12; 13; 14; 16; 18; 20; 22; 24; 25; 28; 30; 32 mm

Brad Point Drill Bits

REFERENCE	DESCRIPTION
2608596303	6 x 57 x 93 mm, d 6 mm
2608596305	8 x 75 x 117 mm, d 8 mm
2608596307	10 x 80 x 120 mm, d 10 mm
2608596309	12 x 96 x 151 mm, d 12 mm
2608596311	14 x 96 x 151 mm, d 14 mm
2608596313	16 x 100 x 160 mm, d 16 mm
2607017034	7-piece set 3,4,5,6,7,8,10mm

Auger Bits

REFERENCE	DESCRIPTION
2608597644	Hexagon 16 x 360 x 450 mm, d 11,1 mm
2608597645	Hexagon 18 x 360 x 450 mm, d 11,1 mm
2608597646	Hexagon 20 x 360 x 450 mm, d 11,1 mm
2608597647	Hexagon 22 x 360 x 450 mm, d 11,1 mm
2608597648	Hexagon 24 x 360 x 450 mm, d 11,1 mm
2608597649	Hexagon 26 x 360 x 450 mm, d 11,1 mm
2608597650	Hexagon 28 x 360 x 450 mm, d 11,1 mm
2608597651	Hexagon 30 x 360 x 450 mm, d 11,1 mm

Screwdriver Bits

REFERENCE	DESCRIPTION
2607001511	Extra Hard PH 2, 25 mm (3 pcs)
2608522186	Extra Hard PH 2, 25 mm (tictac box) (25 pcs)
2607001514	Extra Hard PH 2, 25 mm (100 pcs)
2607001528	Extra Hard PH 2, 49 mm (3 pcs)
2607002503	Extra Hard PH 2, 49 mm (25 pcs)
2607001535	Extra Hard PH 2, 89 mm (3 pcs)
2607001575	Extra Hard PZ 1, 49 mm (3 pcs)
2607001558	Extra Hard PZ 2, 25 mm (3 pcs)
2608522187	Extra Hard PZ 2, 25 mm (tictac box) (25 pcs)
2607001561	Extra Hard PZ 2, 25 mm (100 pcs)
2607001577	Extra Hard PZ 2, 49 mm (3 pcs)
2607002506	Extra Hard PZ 2, 49 mm (25 pcs)
2607001583	Extra Hard PZ 2, 89 mm (3 pcs)
2607001738	Double ended bit S 1,0x5,5 (flat tip); PH2; 45 mm (1 pc)
2607001740	Double ended bit PH2; PH2; 45 mm (1 pc)
2608521039	10pcs double ended SDB set PH2; PH2; 65 mm
2608521042	10pcs double ended SDB set Gold PH2; PH2; 65 mm
2608521043	10pcs double ended SDB set PH2; PH2; 110 mm



Screwdriver Bit Sets

REFERENCE	DESCRIPTION
2607002581	18+1-piece Robust Line set L, Max Grip version 25 mm
2607017063	32pcs Screw Driver Bit set
2607017164	43-piece bit and nutsetter set
2607019503	25pcs Screw Driver Bit set (pencil)
2607019504	46 pcs Screw Driver Bit set

Hole Saws & Adapters



HSS Bi-Metal Hole saws

REFERENCE	DESCRIPTION
2608580397	HSS bi-metal hole saw for standard adapters 16mm
2608580399	HSS bi-metal hole saw for standard adapters 19mm
2608580400	HSS bi-metal hole saw for standard adapters 20mm
2608580402	HSS bi-metal hole saw for standard adapters 22mm
2608580404	HSS bi-metal hole saw for standard adapters 25mm
2608580407	HSS bi-metal hole saw for standard adapters 30mm
2608580408	HSS bi-metal hole saw for standard adapters 32mm
2608580410	HSS bi-metal hole saw for standard adapters 35mm
2608580412	HSS bi-metal hole saw for standard adapters 38mm
2608580413	HSS bi-metal hole saw for standard adapters 40mm
2608580416	HSS bi-metal hole saw for standard adapters 44mm
2608580417	HSS bi-metal hole saw for standard adapters 46mm
2608580418	HSS bi-metal hole saw for standard adapters 48mm
2608580419	HSS bi-metal hole saw for standard adapters 51mm
2608580420	HSS bi-metal hole saw for standard adapters 52mm
2608580421	HSS bi-metal hole saw for standard adapters 54mm
2608580423	HSS bi-metal hole saw for standard adapters 57mm
2608580426	HSS bi-metal hole saw for standard adapters 64mm
2608580429	HSS bi-metal hole saw for standard adapters 68mm
2608580432	HSS bi-metal hole saw for standard adapters 76mm
2608580433	HSS bi-metal hole saw for standard adapters 79mm
2608580434	HSS bi-metal hole saw for standard adapters 83mm
2608580436	HSS bi-metal hole saw for standard adapters 89mm
2608580437	HSS bi-metal hole saw for standard adapters 92mm
2608580438	HSS bi-metal hole saw for standard adapters 95mm
2608580439	HSS bi-metal hole saw for standard adapters 98mm
2608580440	HSS bi-metal hole saw for standard adapters 102mm
2608580441	HSS bi-metal hole saw for standard adapters 105mm
2608580443	HSS bi-metal hole saw for standard adapters 111mm
2608580444	HSS bi-metal hole saw for standard adapters 114mm
2608580445	HSS bi-metal hole saw for standard adapters 121mm
2608580446	HSS bi-metal hole saw for standard adapters 127mm
2608580448	HSS bi-metal hole saw for standard adapters 152mm

Progressor Hole Saws

REFERENCE	DESCRIPTION
2608584618	Progressor hole saw 22 mm, 7/8"
2608584620	Progressor hole saw 25 mm, 1"
2608584624	Progressor hole saw 32 mm, 1 1/4"
2608584626	Progressor hole saw 35 mm, 1 3/8"
2608584629	Progressor hole saw 40 mm, 1 9/16"
2608584635	Progressor hole saw 51 mm, 2"
2608584642	Progressor hole saw 64 mm, 2 1/2"
2608584645	Progressor hole saw 68 mm, 2 11/16"
2608584657	Progressor hole saw 105 mm, 4 1/8"

Hole Saw Adapter

REFERENCE	DESCRIPTION
2608584674	Power-Change adapter 8 mm hex shank
2608584675	Power-Change adapter SDS-plus shank
2609390035	SDS-plus adapter 1/2"-20 UNF, 14-30 mm
2609390036	SDS-plus adapter 5/8" - 18 UNF, 32-210 mm
2609390588	Hexagon socket arbor guide bit 3/8" ,14mm-30mm
2609390034	Hexagon socket adapter 5/8" - 18 UNF, 32-210 mm

Hole Saws & Flexible Abrasives



Hole Saw Sets

REFERENCE	DESCRIPTION
1609200243	8-piece hole cutter set 25; 32; 38; 44; 51; 57; 63; 68 mm
2607018389	9-piece electrician hole saw set 22; 29; 35; 44; 51; 64 mm
2607018390	14-piece hole saw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm
2608580803	9-piece plumber hole saw set, bi-metal 19, 22, 29, 38, 44, 57, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608580804	9-piece electrician hole saw set, bi-metal 20, 25, 32, 38, 51, 64, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608584667	14-piece Progressor hole saw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm

Sanding Sheets for Orbital Sanders

REFERENCE	DESCRIPTION
2608605294	Clamped Sanding sheet Expert for Wood 93 x 230, 40 (10pcsv)
2608605295	Clamped Sanding sheet Expert for Wood 93 x 230, 60 (10pcs)
2608605296	Clamped Sanding sheet Expert for Wood 93 x 230, 80 (10pcs)
2608605298	Clamped Sanding sheet Expert for Wood 93 x 230, 120 (10pcs)
2608605584	Velcro Sanding sheet Expert for Wood 115 x 230, 40 (10pcs)
2608605316	Velcro Sanding sheet Expert for Wood 115 x 230, 60 (10pcs)
2608605317	Velcro Sanding sheet Expert for Wood 115 x 230, 80 (10pcs)
2608605318	Velcro Sanding sheet Expert for Wood 115 x 230, 120 (10pcs)

Sanding Sheets for Random Orbit Sanders

REFERENCE	DESCRIPTION
2608605067	Sanding Sheet BfWP 125mm, G40 (5pcs)
2608605068	Sanding Sheet BfWP 125mm, G60 (5pcs)
2608605069	Sanding Sheet BfWP 125mm, G80 (5pcs)
2608605071	Sanding Sheet BfWP 125mm, G120 (5pcs)

Sanding belts for Belt Sanders

REFERENCE	DESCRIPTION
2608606081	75 x 533 mm, 60 Grit (10pcs)
2608606082	75 x 533 mm, 80 Grit (10pcs)
2608606083	75 x 533 mm, 100 Grit (10pcs)
2608607261	75 x 533 mm, 180 Grit (10pcs)
2608606085	75 x 533 mm, 220 Grit (10pcs)
2608606135	100 x 610 mm, 60 Grit (10pcs)
2608606136	100 x 610 mm, 80 Grit (10pcs)
2608606137	100 x 610 mm, 100 Grit (10pcs)
2608607263	100 x 610 mm, 120 Grit (10pcs)

Cloth Hand Sanding Rolls

REFERENCE	DESCRIPTION
2608621482	Grit 60 115mm X 50m
2608621483	Grit 80 115mm X 50m
2608621484	Grit 100 115mm X 50m
2608621485	Grit 120 115mm X 50m

Flexible Abrasives & Blades



Hand Sanding Sheets

REFERENCE	DESCRIPTION
2608621527	280 X 230 mm G60 (100Pcs)
2608621528	280 X 230 mm G80 (100Pcs)
2608621529	280 X 230 mm G100 (100Pcs)
2608621530	280 X 230 mm G120 (100Pcs)
2608621531	280 X 230 mm G150 (100Pcs)
2608621532	280 X 230 mm G180 (100Pcs)
2608621533	280 X 230 mm G220 (100Pcs)
2608621534	280 X 230 mm G240 (100Pcs)
2608621535	280 X 230 mm G320 (100Pcs)
2608621536	280 X 230 mm G400 (100Pcs)
2608621537	280 X 230 mm G500 (100Pcs)
2608621538	280 X 230 mm G600 (100Pcs)
2608621539	280 X 230 mm G800 (100Pcs)
2608621540	280 X 230 mm G1000 (100Pcs)
2608621541	280 X 230 mm G1200 (100Pcs)
2608621542	280 X 230 mm G1500 (100Pcs)
2608621543	280 X 230 mm G2000 (100Pcs)
2608621544	280 X 230 mm G2500 (100Pcs)

Colour Foam Blocks

REFERENCE	DESCRIPTION
2608621252	Pack of 3 pcs (SF, fine, medium - profile)
2608608223	Standard block Fine (profile)
2608608225	Standard block Medium (flat & edge)
2608608228	Standard block SF (flat & edge)

Jigsaw Blades

REFERENCE	DESCRIPTION
2608630030	T 101 B Clean for Wood (5pcs)
2608630032	T 101 D Clean for Wood (5pcs)
2608630033	T 111 C Basic for Wood (5pcs)
2608630040	T 144 D Speed for Wood (5pcs)
2608637880	T 144 D Speed for Wood (100pcs)
2608630058	T 244 D Speed for Wood (5pcs)
2608637881	T 244 D Speed for Wood (100pcs)
2608637590	T 301 CD Clean for Wood (5pcs)
2608637944	T 344 D Speed for Wood (3pcs)
2608634994	T 345 XF Progressor for Wood and Metal (5pcs)
2608667394	T1044DP Precision for wood < 150mm (3pcs)

Sabre Saw Blades

REFERENCE	DESCRIPTION
2608654405	S 3456 XF Progressor for Wood and Metal (2pcs)
2608654403	S 2345 X Progressor for Wood (2pcs)



Accessories for Multi Cutters

REFERENCE	DESCRIPTION
2608661636	BIM segment saw blade ACZ 85 EB Wood and Metal 85 mm
2608661781	BIM plunge cut saw blade AII 65 APB Wood and Metal 40 x 65 mm
2608661644	BIM plunge cut saw blade AIZ 32 APB Wood and Metal 50 x 32 mm
2608661645	BIM plunge cut saw blade AIZ 32 BSPB Hard Wood 50 x 32 mm
2608661637	HCS plunge cut saw blade AIZ 32 EPC Wood 50 x 32 mm
2608661647	HCS scraper ATZ 52 SFC, flexible 52 x 38 mm
2608661642	Carbide-RIFF segment saw blade ACZ 85 RT3 85 mm
2608000493	Starlock sanding plate AVZ 93 G 93 mm
2608605165	C470 sanding sheet, pack of 6 93 mm, 60; 120; 240
2608661696	Set: ACZ 85 EB (1x); AIZ 32 BSPB (1x); AIZ 32 EPC (1x); ATZ 52 SC (1x)

Circular Saw Blades (Eco)

REFERENCE	DESCRIPTION
2608644399	ECO for Wood 184x2.2/1.4x20 40T
2608644400	ECO for Wood 184x2.2/1.4x20 60T
2608644404	ECO for Wood 235x2.8/1.8x30 40T
2608644405	ECO for Wood 235x2.8/1.8x30 60T
2608644407	ECO for Wood 254x3.0/2.0x30 60T
2608641797	Optiline ECO, 305 mm x 30 mm x 2,8mm, 100T

Circular Saw Blades

REFERENCE	DESCRIPTION
2608641172	Optiline Wood, 160 x 20/16 x 1,8 mm, 48T
2608640853	Optiline Wood, 184 mm x 20 mm x 2,5 mm, 40T
2608640854	Optiline Wood, 184 mm x 20 mm x 2,5 mm, 60T
2608640894	Optiline Wood, 235 mm x 35 mm x 2,5 mm, 40T
2608640895	Optiline Wood, 235 mm x 35 mm x 2,5 mm, 60T
2608640908	Optiline Wood, 254 mm x 30 mm x 2,5 mm, 60T
2608640807	Speedline Wood, 235 mm x 30/25 mm x 2,6 mm, 30T
2608640503	Multi Material, 160 x 20/16 x 2,4 mm; 42T
2608642193	Multi Material, 184 mm x 20 mm x 2,0 mm, T60
2608640509	Multi Material, 190 mm x 30 mm x 2,4mm, 54T
2608642197	Multi Material, 235 mm x 25 mm x 2,0 mm, T80
2608640514	Multi Material, 235 mm x 30/25 mm x 2,4 mm, 64T
2608640451	Multi Material, 254 mm x 30 mm x 3,2 mm, 96T
2608642202	Multi Material, 254 mm x 30 mm x 3,2 mm, 100T
2608642208	Multi Material, 305 mm x 30 mm x 2,7 mm, 80T
2608640452	Multi Material, 305 mm x 30 mm x 3,2 mm, 80T
2608640453	Multi Material, 305 mm x 30 mm x 3,2 mm, 96T
2608642209	Multi Material, 305 mm x 30 mm x 3,2 mm, 100T
2608642210	Multi Material, 305 mm x 30 mm x 3,2 mm, 120T
2608642213	Multi Material, 355 mm x 30 mm x 3,2 mm, 100T

Circular Saw Blades (Expert)

REFERENCE	DESCRIPTION
2608642505	Expert for Wood 250 x 30 x 3,2 mm, 40T
2608642114	Expert for Wood 300 x 30 x 3,2 mm, 48T
2608642508	Expert for Wood, 300 mm x 30 mm x 3,2 mm, 48T
2608642529	Expert for Multi Material, 305 mm x 30 mm x 2,4 mm, 96T

Router Bits 6mm

REFERENCE	DESCRIPTION
2608628448	Chamfer bit 6 mm, B 11 mm, L 15 mm, G 56 mm, 45°
2608628460	Core box bit 6 mm, R1 3 mm, D 6 mm, L 9,2 mm, G 40 mm
2608628451	Core box bit 6 mm, R1 5 mm, D 10 mm, L 9,2 mm, G 40 mm
2608628450	Core box bit 6 mm, R1 6 mm, D 13 mm, L 9,2 mm, G 40 mm
2608628455	Core box bit 6 mm, R1 6 mm, D 25 mm, L 12,7 mm, G 54 mm
2608628452	Core box bit 6 mm, R1 8 mm, D 16 mm, L 12,4 mm, G 45 mm
2608628453	Core box bit 6 mm, R1 13 mm, D 25 mm, L 15,6 mm, G 49 mm
2608628461	Flush trim bit 6 mm, D 6 mm, L 16,2 mm, G 54 mm
2608628462	Flush trim bit 6 mm, D 10 mm, L 12,7 mm, G 56 mm
2608628463	Flush trim bit 6 mm, D 13 mm, L 12,7 mm, G 56 mm
2608628459	Ovolo bit profile cutters 6mm D25,4mm, L14mm, G46
2608628449	Rabbeting bit 6mm D25,4mm, L12,4mm, G54mm
2608628438	Straight bit 6 mm, D1 3 mm, L 7,7 mm, G 51 mm
2608628439	Straight bit 6 mm, D1 5 mm, L 12,4 mm, G 51 mm
2608628440	Straight bit 6 mm, D1 6 mm, L 15,7 mm, G 48 mm
2608628441	Straight bit 6 mm, D1 8 mm, L 19,6 mm, G 51 mm
2608628442	Straight bit 6 mm, D1 10 mm, L 19,6 mm, G 51 mm
2608628443	Straight bit 6 mm, D1 13 mm, L 19,6 mm, G 51 mm
2608628444	Straight bit 6 mm, D1 19 mm, L 19,5 mm, G 51 mm
2608628454	Roman ogee bit 6 mm, R1 4,1 mm, D 29 mm, L 12,4 mm, G 54 mm
2608628445	V-groove bit 6 mm, D1 6 mm, L 9,2 mm, G 45 mm, 90°
2608628446	V-groove bit 6 mm, D1 10 mm, L 12,4 mm, G 45 mm, 90°
2608628447	V-groove bit 6 mm, D1 13 mm, L 12,7 mm, G 45 mm, 90°
2607019464	6pcs routerbit set (6mm)



Router Bits 8mm

REFERENCE	DESCRIPTION
2608628340	Roundover bits 8 mm, R1 6 mm, L 13,2 mm, G 53 mm
2608628343	Roundover bits 8 mm, R1 12 mm, L 19 mm, G 60 mm
2608628346	Laminate trim bits 8 mm, D1 9,5 mm, L 25,4 mm, G 68 mm
2608628347	Laminate trim bits 8 mm, D1 12,7 mm, L 13 mm, G 56 mm
2608628348	Laminate trim bits 8 mm, D1 12,7 mm, L 25,4 mm, G 68 mm
2608628352	Chamfer bit 8 mm, B 11 mm, L 15 mm, G 56 mm, 45°
2608628368	Core box bits 8 mm, R1 6 mm, D 12 mm, L 9,2 mm, G 40 mm
2608628372	Straight bits 8 mm, D1 8 mm, L 25,4 mm, G 56 mm
2608628373	Straight bits 8 mm, D1 10 mm, L 25,4 mm, G 56 mm
2608628374	Straight bits 8 mm, D1 12 mm, L 32 mm, G 62 mm
2608628375	Straight bits 8 mm, D1 14 mm, L 20 mm, G 51 mm
2608628376	Straight bits 8 mm, D1 3 mm, L 8 mm, G 51 mm
2608628377	Straight bits 8 mm, D1 4 mm, L 8 mm, G 51 mm
2608628378	Straight bits 8 mm, D1 5 mm, L 12,7 mm, G 51 mm
2608628379	Straight bits 8 mm, D1 6 mm, L 16 mm, G 48 mm
2608628381	Straight bits 8 mm, D1 8 mm, L 20 mm, G 51 mm
2608628383	Straight bits 8 mm, D1 10 mm, L 20 mm, G 51 mm
2608628385	Straight bits 8 mm, D1 12 mm, L 20 mm, G 51 mm
2608628387	Straight bits 8 mm, D1 15 mm, L 20 mm, G 51 mm
2608628388	Straight bits 8 mm, D1 16 mm, L 20 mm, G 51 mm
2608628389	Straight bits 8 mm, D1 18 mm, L 25 mm, G 56 mm
2608628390	Straight bits 8 mm, D1 20 mm, L 25 mm, G 56 mm
2608628392	Straight bits 8 mm, D1 25 mm, L 20 mm, G 51 mm
2608628393	Edge forming bits A 8 mm, R1 4,8 mm, B 11 mm, L 14,3 mm, G 57 mm
2608628395	Edge forming bit B 8 mm, R1 6,3 mm, B 12,7 mm, L 17 mm, G 61 mm
2608628396	Edge forming bits C 8 mm, R1 4,8 mm, B 9,5 mm, L 14 mm, G 57 mm
2608628397	Edge forming bit D 8 mm, R1 6,3 mm, B 15 mm, L 18 mm, G 60 mm
2608628403	Slotting cutters 8 mm, D1 32 mm, L 5 mm, G 51 mm
2608628406	V-groove bits 8 mm, D1 11 mm, L 14 mm, G 45 mm, 60°
2608628407	V-groove bits 8 mm, D1 16 mm, L 16 mm, G 45 mm, 90°
2607019469	15pcs routerbit set (8mm)

Others

REFERENCE	DESCRIPTION
2608612026	Lambskin disc 170 mm
1608571048	Keyed chucks up to 13 mm 1.5–13 mm, 1/2" - 20
2607000096	Planer blades Tungsten carbide (2 pcs)
2607000193	Planer blades HSS (2 pcs)

Measuring Tools

GLM 20
Laser Measure

0601072EG0



Measurement range	0.15 - 20 m
Measurement accuracy, typical	±3 mm
Power supply	2 x 1.5 V (AAA) batteries
Units of measurement	m, ft/inch
Laser class	2

GLM 50 C
Laser Measure

0601072C00



Measurement range	0.05-50m
Measurement accuracy, typical	±1.5mm
Power supply	2 x 1.5 V (AAA) batteries
Units of measurement	m/cm, ft/inch
Dust and splash protection	IP 54

GLL 2
Line Laser

0601063A01



Working range	Up to 10 m
Accuracy	±0.5 mm/m
Power supply	2 x 1.5 V (AA) batteries
Self-levelling range	±4°
Tripod thread	1/4"

GLL 3-15 X
Line Laser

0601063M00



Working range	15 m
Accuracy	±0.2 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±3°
Tripod thread	1/4" , 5/8"

GLM 40
Laser Measure

0601072900



Measurement range	0.15 - 40 m
Measurement accuracy, typical	±1.5 mm
Power supply	2 x 1.5 V (AAA) batteries
Units of measurement	m, ft/inch
Dust and splash protection	IP 54

GLM 80
Laser Measure

0601072370



Measurement range	0.05 - 80 m
Measurement accuracy, typical	±1.5mm
Power supply	built-in 1 x 3.6 V Li-ion battery (1250 mAh)
Units of measurement	m / cm / mm
Dust and splash protection	IP 54

GLL 2-20
Line Laser

0601063J00



Working range	20 m
Accuracy	±0.4 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±4°
Tripod thread	1/4"

GLL 5-50 X
Line Laser

0601063N00



Working range / with receiver	15 / 50 m
Accuracy	±0.2 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±3°
Tripod thread	1/4" , 5/8"

Measuring Tools

GLL 3-80
Line Laser

0601063S00



Working range / with receiver	30 / 120 m
Accuracy	±0.2 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±4°
Tripod thread	1/4", 5/8"

GLL 3-80 G
Line Laser

0601063Y00



Working range / with receiver	30 / 120 m
Accuracy	±0.2 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±4°
Tripod thread	1/4", 5/8"

GCL 2-50 C + kit
Combi Laser

0601066G70



Working range / with receiver	20 / 50 m
Accuracy	±0.3 mm/m
Power supply	4 x 1.5 V (AA) batteries
Self-levelling range	±4°
Tripod thread	1/4", 5/8"

GAM 220 MF
Angle Measurer

0601076600



Measurement range	0 - 220°
Measurement accuracy, angles	±0.1°
Power supply	4 x 1.5 V (AA) batteries
Weight	1.2 Kg
Dust and splash protection	IP 54

GIM 60
Digital Inclinometer

0601076700



Measurement range	0-360° (4x90°)
Length	60 cm
Measurement accuracy, vials	±0.057° = ±1 mm/m
Power supply	4 x 1.5 V (AA) batteries
Weight	0.77 Kg

GIM 120
Digital Inclinometer

0601076800



Measurement range	0-360° (4x90°)
Length	120 cm
Measurement accuracy, vials	±0.057° = ±1 mm/m
Power supply	4 x 1.5 V (AA) batteries
Weight	1.3 Kg

GMS 120
Detector

0601081000



Detectable materials	Ferrous & non-ferrous metals, wooden studs, live cables
Max. detection depth, steel	120 mm
Max. detection depth, copper	80 mm
Max. detection depth, wooden beam	38 mm
Max. detection depth, live cables	50 mm

D-TECT 150
Wall Scanner

0601010005



Detectable materials	Plastic pipes, ferrous & non-ferrous metals, wooden studs, live cables
Max. detection depth, steel	150 mm
Max. detection depth, copper	150 mm
Max. detection depth, plastic pipes	80 mm
Max. detection depth, live cables	60 mm

Spare Parts

Product Name	Carbon brush	Electron. Module	Switch	Armature	Motor	Field coil
GSR 120-LI	-	2609125169	-	-	1607000C5K	-
GSR 180-LI	1607000CZ1	2607202330	-	-	160702266N	-
GSB 120-LI	1607000CZ1	2609125169	-	-	2609199428	-
GSB 180-LI + accessories	1607000CZ1	2607202346	-	-	160702266N	-
GSB 180-LI	1619P14345	1600A00F9H	-	1619P14346	1619P13742	-
GDR 120-LI		2607202312	-	-	1600A00PE3	-
GDX 180-LI	160701418R	1600A011E6	-	-	160702267M	-
GDS 250-LI	1604321174	2609199892	-	-	2609120731	-
GBM 1000	1619P20174	-	1619P20171	1619P20172	-	1619P20173
GSB 570	1619PB4810	-	1619PB4804	1619PB4803	-	1619PB4802
GSB 550 + 90 accessories	-	-	-	-	-	-
GST 650	1619PB3118	-	160720035M	1604010B9L	-	1619PB3115
GST 700	1619P13476	-	2607200678	1619P13749	-	1619P13750
GKS 140		-	-	-	-	-
GSA 120	2610920682	-	2610925949	2610927652	-	1604220367
GSS 140	1619PB3111	-	160720035P	1604010B9N	-	1604220577
GSS 2300	1619PA7635	-	1619PA7631	1619PA7629	-	1619PA7627
GHO 700		-	-		-	-
GKF 550	1619PB3047	-	1619PB3034	1619PB3031	-	1619PB3028
GHG 180		-	1619PB3834	1619PB2798	-	1619PB2788
GBL 620	1604321129	-	2607200637	1604010BA6	-	160422056J
GAS 15	1619PA7345	-	1619PA7289		-	-
GBM 1600 RE	1619PA7827	-	1619PA7816	1619PA7851	-	1619PA7815
GSB 13 RE + accessories	2610391290	-	2607200567	2609120232	-	2604220718
GSB 16 RE + accessories	2607014013	-	2607200625	2609120235	-	2604220647
GSB 20-2 RE	1617000525	-	1607200508	2609199451	-	2609120463
GSB 24-2	1617000525	-	160720032L	2604011401	-	2604220727
GSB 162-2	2604321947	-	2607200675	1600A004L1	-	1619P08345
GSB 18V-50	-	16072335FX	-	-	1607000DM8	-
GSB 18V-60 C	-	16072335D9	-	-	2609199894	-
GSA 18V-LI	-	1607233567	-	2610957808	-	-
GOP 18V-28	-	2609125429	-	1600A00P1T	-	-
GST 18V-LI S	-	1607233597	-	-	-	2607022831
GKS 18V-57	-	1619P11912	-	1619P11898	-	-
GDX 18V-200	-	16072335EV	-	-	1619P14405	-
GBL 18V-120	-	1619PA9085	-	-	1619PA9071	-
GAS 18V-1	-	1619PB0706	-	-	1619PB2077	-
GST 150 BCE	2604321941	-	2607200669	2604011394	-	2604220584
GKS 190	1619P06346	-	2607200669	1619P06345	-	1619P04474
GKS 9	1619P10476	-	1607200286	1619P10475	-	1619P08335
GOP 30-28 + accessories	1619P02870	-	1607233437	2609199961	-	2609199344
GOF 1250 CE	2604321958	-	2607200688	2604011957	-	2604220763
GHO 26-82 D	2609120637	-	160720030F	2609199946	-	2604220480
GEX 125-1 AE	2609120199	-	1607200190	2609199164	-	2604220743
GEX 125-150 AVE	1607014117	-	2607200688	2604011434	-	2604220743
GBS 75 AE	2604321905	-	2607200384	2604010935	-	2604220480
GHG 23-66 + accessories	-	-	1607000D0W	-	1607000D1V	-
GBL 800 E	1604321129	-	2607200637	1604010B1E	-	1604220439
GAS 12-25 PL	-	-	1619PB3262	-	-	1619PB3212
GAS 35 L SFC+	-	-	2609200479	-	-	-
GCM 10 MX	1619PA7057	-	1619PA6703	1619PA7056	-	1619PA6835
GTM 12 JL	1619PA4631	-	1619PA4309	1619PA4307	-	1619PA4305
GCM 12 GDL	2610021311	-	2610950336	1609B02590	-	1609B02484
GTA 2600	-	-	-	-	-	-
GTS 10 J	2610018332	-	2610016997	1619P03278	-	1609203K86



BOSCH

LET US TAKE CARE OF YOUR TOOL

Safe, Conscientious and Fast: Repairs by Bosch

Pickup and
drop-off
arrangement



Robert Bosch East Africa Ltd.

Power Tools Division

Fedha Plaza, Ground Floor

Mpaka Road-Westlands, Nairobi

Sales: 0799 447 117

Dealer Stamp

